

## Peer Reviewed Research Articles Published by Prof. Hartmann and Sponsored by Medela AG

(January 2000 - April 2009)

- Cregan, M.D., de Mello T.R. and Hartmann P.E. Pre-term delivery and breast expression: Consequences for initiating lactation. *Advances in Experimental Medicine and Biology*, **478**: 427-428 (2000)
- Cregan, M.D., de Mello, T.R., Kershaw, D., McDougall, K and Hartmann. P.E. Initiation of lactation in women after preterm delivery. *Acta Obstetrica et Gynecologica Scandinavica* **81**: 870-877 (2002)
- Mitoulas, L.R, Kent, J.C., Cox, D.B., Owens, R.A., Sherriff, J.L. and Hartmann, P.E. Variation in fat, lactose and protein in human milk over 24h and throughout the first year of lactation. *British Journal of Nutrition* **88**: 29-37 (2002)
- Cregan, M.D., Mitoulas, L.R. and Hartmann, P.E. Milk prolactin, feed volume, and duration between feeds in women breastfeeding their full-term infants over a 24-hour period. *Experimental Physiology* **87.2**: 207 – 214 (2002)
- Mitoulas, L.R., Lai, C.T., Gurrin, L.C., Larsson, M. and Hartmann, P.E. Efficacy of breast milk expression using an electric breast pump. *Journal of Human Lactation* **18(4)**: 344-352 (2002)
- Mitoulas, L.R., Lai, C.T., Gurrin, L.C., Larsson, M. and Hartmann, P.E. Effect of vacuum profile on breast milk expression using an electric breast pump. *Journal of Human Lactation* **18(4)**: 353-360 (2002)
- Kent, J.C., Ramsay, D.T, Doherty, D., Larsson, M. and Hartmann, P.E. Response of breasts to different stimulation patterns of an electric breast pump. *Journal of Human Lactation* **19**: 179 - 186 (2003)
- Mitoulas, L.R., Gurrin, L.C., Doherty, D.A., Sherriff, J.L. and Hartmann, P.E. Infant intake of fatty acids from human milk over the first year of lactation. *British Journal of Nutrition* **90**: 979 – 986 (2003)
- Ramsay, D.T., Kent, J.C., Owens, R.A. and Hartmann, P.E. Ultrasound imaging of milk ejection in the breast of lactating women. *Pediatrics* **113**: 361 – 367 (2004)
- Ramsay, D.T., Kent, J.C., Hartmann R.L. and Hartmann P.E. Anatomy of the lactating human breast redefined with ultrasound imaging. *Journal of Anatomy* **206**: 525 – 534 (2005)
- Ramsay, D.T., Mitoulas, L.R., Kent, J.C., Larsson, M. and Hartmann, P.E. The use of ultrasound to characterize milk ejection in women using an electric breast pump. *Journal of Human Lactation* **21(4)**: 421- 428 (2005)
- Meier, P.P., Engstrom, J.L., Zuleger, J.L., Motykowski, J.E., Vasani, U., Meier, W.A., Hartmann, P.E. and Williams, T.M. Accuracy of user-friendly centrifuge for measuring creatinocrits on mothers' milk in the clinical setting. *Breastfeeding Medicine* **1**: 79 - 87 (2006)

Kent, J.C., Mitoulas, L.R., Cregan, M.D., Ramsay, D.T., Doherty, D.A. and Hartmann, P.E. Volume and frequency of breastfeeds and fat content of breastmilk throughout the day. *Pediatrics* **117**: e387 - e395 (2006)

Ramsay, D.T. Mitoulas, L.R., Kent, J.C., Cregan, M.D., Doherty, D.A., Larsson, M. and Hartmann, P.E. Milk flow rates can be used to identify and investigate milk ejection in women expressing breast milk using an electric breast pump. *Breastfeeding Medicine* **1**: 14 - 23 (2006)

Cregan, M.D., Fan, Y.P., Appelbee, A., Brown, M.L., Klopčič, B., Koppen, J., Mitoulas, L.R., Piper, K.M.E., Chong, Y.S. and Hartmann, P.E. Identification of nestin positive putative mammary stem cells in human breastmilk. *Cell and Tissue Research* **329**: 129 – 136 (2007)

Hartmann B.T., Pang, W.W., Keil, A.D., Hartmann, P.E. and Simmer, K. Best practice guidelines for the operation of a donor human milk bank in an Australian NICU. *Early Human Development* **83**: 667 - 673 (2007)

Geddes, D.T., Kent, J.C., Mitoulas, L.R. and Hartmann, P.E. Tongue movement and intra-oral vacuum in breastfeeding infants. *Early Human Development* **84**: 471 – 477 (2008)

Kent, J.C., Mitoulas, L.R., Cregan, M.D., Geddes, D.T., Larsson, M., Doherty, D.A. and Hartmann, P.E. Importance of vacuum for breastmilk expression. *Breastfeeding Medicine* **3**(1): 11 – 19 (2008)

Geddes, D.T., Langton, D.B., Gollow, I., Jacobs, L.A., Hartmann, P.E. and Simmer, K. Frenulotomy for breastfeeding infants with ankyloglossia: Effect on milk removal and sucking mechanism as imaged by ultrasound. *Pediatrics* **122**: e188 – e194 (2008)

McClellan, H.L, Geddes, D.T., Kent, J.C., Garbin, C.P., Mitoulas, L.R. and Hartmann, P.E. Infants of mothers with persistent nipple pain exert strong sucking vacuums. *Acta Paediatrica* (2008)

Czank, C., Simmer, K. and Hartmann, P.E. A method for standardizing the fat content of human milk for use in the neonatal intensive care unit. *International Breastfeeding Journal* **4**(3) (online journal 16<sup>th</sup> April 2009)